

EXP offers innovative technology that neutralizes pollutants and provides a cleaner indoor air environment. Our technology was specifically developed to bring the health and quality of nature's' air to the indoors.

eaglexpro.com



About Us



Headquarters: Las Vegas, NV U.S.A



2002

Started testing



Eagle X Pro

Harnesses an Israeli patented Bipolar Ionization technology.



100,000+

Installed systems of patented bipolar ionization technology



Ions In Nature

The air in nature is clean due to the ions generated from the sun and soil.



50,000 ions/cm3

Sea



2,000 ions/cm3

Rural Area



15,000 ions/cm3

Mountain or forest



500 ions/cm3

Urban Area



5,000 ions/cm3

Beach



>100 ions/cm3

Indoor, Closed Area





EXP Bipolar Ionization Technology





Actively Seeks & Destroys All Pathogens

EXP Neutralizes and Eliminates:













Mold Spores

Fungus

Pollen

Which Can Cause:













Asthma

Flu

Fever


Odor & Mildew



Proven Technology

Substance	Substance Name	Testing Organization	Removal
Bacteria	Escherichia Coli	EMSL Analytical, USA	99%
	Escherichia Coli ATCC	Istanbul University, Turkey	91%
	Staphylococcus Aureus	EMSL Analytical, USA	91%
	Pseudomonas Aeruginaosa	Istanbul University, Turkey	99%
	Staphylococcus Aureus (MRSA)	EMSL Analytical, USA	99%
Fungus	Aspergillus Niger	EMSL Analytical, USA	97%
	Dichobotrys Abundans	Prof. Joe F. Boatman, USA	90%
	Penicillium	Prof. Joe F. Boatman, USA	95%
Mold	Cladosporium Caldosporioides	EMSL Analytical	97%
Spores	Bacillus Subtilis Var Niger	Istanbul University, Turkey	89%
Viruses	Influenza H1N1	Kitasoto Research Center, Japan	99%
	Influenza H5N1	Kitasoto University, Thailand	99%
	SARS-COV-2	University of Patras, Greece	99%

Science Behind Technology




EXP Technology uses a corona discharge system to generate Oxygen ions O₂⁺ and O₂⁻ at a high density.



Once airborne, these hydroperoxides (H_2O_2) then cluster around harmful pollutants.



These O_2^+ and O_2^- ions have high chemical activity and when reacting with water (H_2O) molecules in the air, hydroperoxide H_2O_2 is formed.



A chemical reaction occurs and the hydroperoxides (H_2O_2) break down the protein structure of the pollutants, rendering them harmless.



Benefits & Advantages



24/7 Self-Cleaning System (No maintenance)



Creates high density of ions. 10 billion to 1 trillion ions per second.



Undetectable Ozone



Neutralizes and Eliminates VOC's





Neutralizes and Eliminates Allergies



Neutralizes and Eliminates Viruses, Bacteria, Mold Spores, Fungus, Dander, Smoke



Discharges static electricity and prevents electrostatic build-up



Benefits & Advantages




















D5 Series

D5 FAN

- Available for smaller spaces up to 500 Square Feet
- Produces 10 billion ions per second
- Plugs into electricity outlet for easy application






D5 Series

D₅C

- Available for smaller spaces up to 2,400 CFM
- Produces 10 billion ions per second





D5 Series

D5i-M

- Available for smaller spaces up to 1,000 to 2,400 CFM
- Produces 10 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals





D6 SERIES Chip

D₆C

- Available for spaces from 2,400 to 3,600 CFM
- Produces 20 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals

D6i

- Available for spaces from 3,600 to 5,200 CFM
- Produces 50 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals

D6

- Available for spaces from 5,200 to 6,800 CFM
- Produces 100 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals

D6Max

- Available for spaces from 6,800 to 10,000 CFM
- Produces 1 trillion ions per cc/sec
- Easy installation into HVAC system or proper airflow system by professionals





D6 SERIES Mount

D₆c

- Available for spaces from 2,400 to 3,600 CFM
- Produces 20 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals

D6i

- Available for spaces from 3,600 to 5,200 CFM
- Produces 50 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals

D6

- Available for spaces from 5,200 to 6,800 CFM
- Produces 100 billion ions per second
- Easy installation into HVAC system or proper airflow system by professionals

D6Max

- Available for spaces from 6,800 to 10,000 CFM
- Produces 1 trillion ions per cc/sec
- Easy installation into HVAC system or proper airflow system by professionals





Product Approval

EXP has undergone many rigorous laboratory tests and has been approved by the most stringent regulatory bodies in the US, Israel and Europe.














UL 867 and UL 2998 approved Very safe, no ozone production from device. Compliant with the American standard for ozone generation






The Problem






Traditional Solutions



The Solution- Adding EXP Technology















EXP Technology vs. Other Solutions

Technology Comparison	EXP	υv	Photocatalytic Oxidation	Media Filtration	Other Needlepoint Ionization	Carbon Filters	Electronic Air Cleaners	HEPA Filtration
Affect Contaminants Indoors	Yes	No	Yes	No	No	No	No	Yes
Effective Against Viruses	Yes	Yes	Yes	No	Yes	No	Yes	No
Effective Against Bacteria, Fungus and Mold Spores	Yes	Yes	Yes	No	Yes	No	Yes	Yes
Reduces VOC's	Yes	No	No	No	Yes	Yes	No	No
Reduces Toxic Particles	Yes	Yes	No	Yes	No	Yes	Yes	No
Reduces Odors	Yes	No	No	No	Yes	No	No	No
Produces Ozone	No	Yes	Yes	No	No	No	Yes	No
Maintenance	Every 2 years	Annually	Annually	Quarterly	Bi-annually to 2 Years	Bi-annually	Monthly	Bi-annually
Chemicals or By-Products	No	Yes	Yes	No	No	Yes	No	No
Re-engineering of HVAC System Needed	No	No	No	Yes	No	Yes	Yes	Yes
Appropriate for any indoor space	Yes	No	No	No	No	No	No	No
Tested Containment Elimination in Occupied Space	Yes	No	No	No	No	No	No	No
Published & Peer Reviewed Research	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Creates "Forest- Effect"	Yes	No	No	No	No	No	No	No



Thanks!

Any Questions?

Contact us:
eaglexpro.com
833.324.5397
office@eaglexpro.com

